## § 70.51

model number (if applicable) of any equipment that failed or malfunctioned:

- (iii) Corrective actions taken or planned to prevent occurrence of similar or identical events in the future and the results of any evaluations or assessments: and
- (iv) For licensees subject to Subpart H of this part, whether the event was identified and evaluated in the Integrated Safety Analysis.
- (d) The provisions of §70.50 do not apply to licensees subject to §50.72. They do apply to those Part 50 licensees possessing material licensed under Part 70 that are not subject to the notification requirements in §50.72.

[56 FR 40769, Aug. 16, 1991; 56 FR 64980, Dec. 13, 1991, as amended at 59 FR 14087, Mar. 25, 1994; 65 FR 56226, Sept. 18, 2000; 68 FR 58817, Oct. 10, 2003]

## § 70.51 Records requirements.

- (a) Before license termination, licensees shall forward the following records to the appropriate NRC Regional Office:
- (1) Records of disposal of licensed material made under 10 CFR 20.2002 (including burials authorized before January 28, 1981<sup>1</sup>), 20.2003, 20.2004, 20.2005;
- (2) Records required by 10 CFR 20.2103(b)(4); and
  - (3) Records required by §70.25(g).
- (b) If licensed activities are transferred or assigned in accordance with §70.32(a)(3), the licensee shall transfer the following records to the new licensee and the new licensee will be responsible for maintaining these records until the license is terminated:
- (1) Records of disposal of licensed material made under 10 CFR 20.2002 (including burials authorized before January 28, 1981¹), 20.2003, 20.2004, 20.2005;
- (2) Records required by 10 CFR 20.2103(b)(4); and
  - (3) Records required by §70.25(g).
- (c)(1) Records which must be maintained pursuant to this part may be the original or a reproduced copy, or microform if the reproduced copy or

microform is duly authenticated by authorized personnel, and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, and specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

(2) If there is a conflict between the Commission's regulations in this part, license condition, or other written Commission approval or authorization pertaining to the retention period for the same type of record, the retention period specified in the regulations in this part for these records shall apply unless the Commission, under §70.17 has granted a specific exemption from the record retention requirements specified in the regulations in this part.

[67 FR 78142, Dec. 23, 2002, as amended at 72 FR 35145, June 27, 2007]

## § 70.52 Reports of accidental criticality.

- (a) Each licensee shall notify the NRC Operations Center¹ within one hour after discovery of any case of accidental criticality.
- (b) This notification must be made to the NRC Operations Center via the Emergency Notification System if the licensee is party to that system. If the Emergency Notification System is inoperative or unavailable, the licensee shall make the required notification via commercial telephonic service or other dedicated telephonic system or any other method that will ensure that a report is received by the NRC Operations Center within one hour.

[67 FR 78143, Dec. 23, 2002]

<sup>&</sup>lt;sup>1</sup>A previous §20.304 permitted burial of small quantities of licensed materials in soil before January 28, 1981, without specific Commission authorization. See §20.304 contained in the 10 CFR, parts 0 to 199, edition revised as of January 1, 1981.

<sup>&</sup>lt;sup>1</sup>Commercial telephone number of the NRC Operations Center is (301) 816–5100.